



UK

<https://entrancemattingsystems.co.uk/>

Premium Logo Mat





SKU: LO-PREM-3













Type: CONFIGURABLE









DESCRIPTION COURTE



PREMIUM LOGO MAT Dimensions STANDARDS, RECTANGULAR SHAPE With bordures on each side Machine washable at 60 ° C. Absorbent 8.5 mm high. Customization, text and / or logo Design of the model made by our infographic service Sending of the B.A.T for validation before Production 72 hours manufacturing Transport 24 / 48H

PHOTOS DU PRODUIT









DESCRIPTION

INDOOR PREMIUM LOGO MAT Dimensions STANDARDS, RECTANGULAR SHAPE With bordures on each side
Machine washable at 60 ° C. Absorbent 8.5 mm high. Customization, text and / or logo Design of the model
made by our infographic service Sending of the B.A.T for validation before Production 72 hours
manufacturing Transport 24 / 48H

PLUS D'INFORMATIONS

ATTRIBUT	VALEUR
Format	Landscape
Characteristics	Designation: Professional cleaning mats. Available in 66 colours. Weight: 3 kg/m ² . Bordures on each side. Note: machine washable at 60°C.
Thickness	8.5mm
Matter	100% polyamide fibres. Can not be distorted. Resistant vinyl underlay



[Contact](#) • [Conditions](#) • [Mentions légales](#) • [Données personnelles](#) • [Cookies](#) • [Réalisation MIKII](#)

Nous acceptons

